



PRICE LIST

CASTABLE



Ref. 092ECQ

OT EQUATOR CASTABLE

KIT CONTAINS:

- 2 SINGLE MALES
- 2 STAINLESS STEEL HOUSINGS
- 4 RETENTIVE CAPS
(2 soft, 2 standard)

IMPLANTS



Ref. 130

OT EQUATOR for IMPLANTS

KIT CONTAINS:

- 1 TITANIUM ABUTMENT
- 1 STAINLESS STEEL HOUSINGS
- 1 PROTECTIVE DISK
- 4 RETENTIVE CAPS
(1 extra-soft, 1 soft, 1 standard, 1 strong)

BARS



Ref. 160EQB

OT EQUATOR threaded sleeve system for bonding

KIT CONTAINS:

- 2 EQUATOR THREADED for titanium sleeve (1.6 mm thread)
- 2 THREADED SLEEVES (1.6 mm thread)
- 2 STAINLESS STEEL HOUSINGS
- 2 EQUATOR SPACERS
- 8 RETENTIVE CAPS
(2 extra-soft, 2 soft, 2 standard, 2 processing)



Ref. 039SFE2

- 1 THREADED EQUATOR (direct into 2 mm thread)

Passive bar connections system "ELASTIC SEEGER"



Ref. 158EQS

ELASTIC SEEGER

KIT CONTAINS:

- 2 CASTABLE ABUTMENTS FOR SEEGER
- 2 RED PLASTIC SEEGER FOR LABORATORY
- 2 RETENTIVE ELASTIC FOR LOCKING THE ABUTMENTS
- 2 TOP LOCKING TITANIUM SCREWS

SPARE PARTS:



Ref. 192ECE • CAPS ASSORTMENT KIT with METAL HOUSING
(1pcs each)



Ref. 151SS • 2 CASTABLE MALES



Ref. 140CEV • 4 RETENTIVE CAPS - violet "STRONG" (2.7kg)



Ref. 140CET • 4 RETENTIVE CAPS - white "STANDARD" (1.8kg)



Ref. 140CER • 4 RETENTIVE CAPS - pink "SOFT" (1.2kg)



Ref. 140CEG • 4 RETENTIVE CAPS - yellow "EXTRA-SOFT" (0.6kg)



Ref. 140CEN • 4 PROCESSING CAPS - black for lab



Ref. 141CAE • 2 STAINLESS STEEL HOUSINGS



Ref. 339SFE • 1 EQUATOR THREADED 1.6mm
(for titanium sleeve)



Ref. 239GSF • 1 TITANIUM SLEEVE (1.6mm thread)



Ref. 339SSE • 1 EQUATOR SPACER

ACCESSORIES:



Ref. 144MTE • 2 IMPRESSION COPING



Ref. 144AE • 2 LABORATORY ANALOG

TOOLS:



Ref. 74AC01 • 1 PARALLELOMETER KEY "NORMAL"



Ref. 774CQ • 1 OT-EQUATOR SQUARE SCREW DRIVER
for implant abutment (square 1,25mm)



Ref. 760CE • 1 SQUARE DRIVER CONNECTOR for torque
controller contra angle (square 1,25mm)



Ref. 772CSF • 1 HEX SCREW DRIVER (hex 0,9 mm)



Ref. 124ICP • 1 BLUE PLASTIC "MULTIUSE" INSERTION TOOL
with Seeger insertor



Ref. 185IAC • 1 METAL INSERTION TOOL FOR CAPS
(use together with 124ICP)



Ref. 191ECS • 1 METAL EXTRACTOR TOOL FOR CAPS
(use together with 124ICP)



Ref. 185SIS • 1 METAL INSERTION TOOL FOR SEEGER
(use together with 124ICP)



RHEIN83 Srl

Via E. Zago, 8
40128 (Bologna) Italy
Tel: (+39) 051 244510 - (+39) 051 244396
Fax: (+39) 051 245238
www.rhein83.com e-mail: info@rhein83.com

CE 0476

Distributor



RHEIN **83**[®] Srl

PRICE LIST

for
Dental Technicians
and Dentists

))) **2010**

NEW

OT UNILATERAL

EXTRA CORONAL ATTACHMENTS WITH COMBINED FUNCTION



Ref. 098UNL

OT UNILATERAL + CONNECTOR

KIT CONTAINS:

- 1 UNILATERAL CASTABLE ATTACHMENT
- 1 UNI-BOX CASTABLE
- 1 PLASTIC POSITIONER MICRO SIZE
- 1 PINK CAP MICRO SIZE
- 1 STRATEGY YELLOW CAP (for duplication technique)
- 1 BLACK CAP MICRO SIZE (for laboratory use only)
- 1 STRATEGY BLACK CAP (for laboratory use only)
- 1 CONNECTOR



Ref. 156BCU

- 1 UNILATERAL CASTABLE ATTACHMENT



Ref. 156CCU

- 1 UNI-BOX CASTABLE

NEW

OT CAP IMPRESSION COPING

NORMAL - MICRO



Ref. 044CAIN

- 2 IMPRESSION COPING NORMAL SIZE
with interchangeable cap



Ref. 044CAIM

- 2 IMPRESSION COPING MICRO SIZE
with interchangeable cap

SINGLE THREADED SPHERES

with THREADED SLEEVE TO BE GLUED NORMAL - MICRO



Ref. 139KSFN

KIT SINGLE THREADED SPHERE NORMAL + TiN

with sleeve to be BONDED

KIT CONTAINS:

- 2 TITANIUM NORMAL SINGLE THREADED SPHERE
(HEX mm. 1.3 THREAD mm. 1.6)
- 2 TITANIUM BOND-IN THREADED SLEEVE
- 2 S/STEEL SPACER for the THREADED SLEEVE (Normal sphere)



Ref. 139KSFM

KIT SINGLE THREADED SPHERE MICRO + TiN

with sleeve to be BONDED

KIT CONTAINS:

- 2 TITANIUM MICRO SINGLE THREADED SPHERE
(HEX mm. 0.9 THREAD mm. 1.6)
- 2 TITANIUM BOND-IN THREADED SLEEVE
- 2 S/STEEL SPACER for the THREADED SLEEVE (Micro sphere)

SPARE PARTS:



Ref. 239SFN

- 1 SINGLE THREADED SPHERE NORMAL + TiN
for threaded sleeve
HEX mm. 1.3 THREAD mm. 1.6



Ref. 239SFM

- 1 SINGLE THREADED SPHERE MICRO + TiN
for threaded sleeve
HEX mm. 0.9 THREAD mm. 1.6



Ref. 239GSF

- 1 TITANIUM BOND-IN THREADED SLEEVE
for Normal and Micro - mm. 1.6



Ref. 239SSN

- 1 STAINLESS STEEL SPACER for the THREADED SLEEVE
(Normal sphere)



Ref. 239SSM

- 1 STAINLESS STEEL SPACER for the THREADED SLEEVE
(Micro sphere)

NEW

SINGLE THREADED SPHERES

NORMAL - MICRO



Ref. 039SFN2

- **1 SINGLE THREADED SPHERE NORMAL SIZE + TiN**
HEX mm. 1.3, THREAD mm. 2.0



Ref. 039SFM2

- **1 SINGLE THREADED SPHERE MICRO SIZE + TiN**
HEX mm. 0.9, THREAD mm. 2.0



Ref. 760CBR

- **HEX DRIVER FOR THREADED SPHERE NORMAL**
HEX mm. 1.3



Ref. 772CSF

- **HEX DRIVER FOR THREADED SPHERE MICRO**
HEX mm. 0.9

OT LOCK LOCKING PIN TITANIUM AND CASTABLE



OT LOCK KIT CASTABLE

Ref. 880CLT

KIT CONTAINS:

- 1 LOCKING PIN SET
- 1 HOUSING SHAPER
- 1 CERAMIC PIN



OT LOCK KIT CASTABLE

Ref. 880CLC

KIT CONTAINS:

- 1 LOCKING PIN SET
- 2 CERAMIC PIN
- 1 CERAMIC SPACER AND CASTABLE RING
- 1 HOUSING SHAPER



OT LOCK KIT TITANIUM ADJUSTABLE

Ref. 880CLR

KIT CONTAINS:

- 1 LOCKING PIN SET
- 1 HOUSING SHAPER
- 1 CERAMIC PIN
- 9 CASTABLE SPACER RINGS

OT LOCK ACCESSORIES



Ref. 882CG

- **1 CONICAL GUIDE**



Ref. 882CAS

- **1 UNLOCKING TOOL**

OT BOX LARGE

OVERSIZED CASTABLE HOUSING; FOR POSITIONING CAPS CHAIRSIDE



Ref. 253BLN

OT BOX LARGE NORMAL & CONNECTORS

KIT CONTAINS:

- 2 UPPER BARS
- 2 LOWER BARS
- 4 PLASTIC POSITIONERS
- 4 CONNECTORS



Ref. 253BLM

OT BOX LARGE MICRO & CONNECTORS

KIT CONTAINS:

- 2 UPPER BARS
- 2 LOWER BARS
- 4 PLASTIC POSITIONERS
- 4 CONNECTORS

OT CAP & OT BOX - OT STRATEGY - OT BAR - OT VERTICAL ATTACHMENTS

PROMOTIONAL KIT FOR LABORATORY



Ref. 005SKLUS

KIT CONTAINS:

OT CAP - OT BOX SYSTEM:

- 16 castable assorted pivots (normal and micro size)
- 4 castable spheres (normal and micro size)
- 2 titanium single spheres (normal and micro size) + sphere holder + 2 sliding base
- 4 castable OT CAP bars (normal and micro size)
- 2 complete castable OT CAP TECNO bars (normal and micro size)
- 4 castable OT BOX CLASSIC bars (upper + lower part) normal and micro size
- 2 castable OT BOX SPECIAL bars (normal and micro size)
- 6 castable OT BOX connectors
- 4 castable OT BOX MONO housings (normal and micro size)
- 4 plastic positioner rings (normal and micro size)
- 16 OT CAP retentive caps (normal and micro size)
- WHITE- standard retention - PINK soft retention - YELLOW extra soft retention
- GREEN very elastic retention-
- 4 TITAN CAP titanium caps (normal and micro size)
- 4 BLACK CAPS- only for lab use - (normal and micro size)
- 8 S/STEEL housings - for resin and to solder
- 4 ANALOGUES for plaster models (normal and micro size)
- 4 protective disks
- 4 aluminium spacers (normal and micro size)

OT STRATEGY:

- 4 castable spheres (2 standard and 2 high)
- 2 castable STEADY
- 6 retentive caps: 2 white - 2 pink - 2 yellow for housing
- 2 black caps for housing only for lab use
- 2 s/steel housings
- 2 plastic positioner rings
- 6 retentive caps for duplication technique:
- WHITE- standard retention - PINK soft retention - YELLOW extra soft retention
- 2 black caps for duplication technique only for lab use
- 2 ANALOGUES for plaster models

OT BAR MULTIUSE:

- 2 castable bar
- 1 gingival connector
- 2 positioner clip A
- 2 positioner clip B
- 4 castable housings
- 4 clips - 2 PINK - soft retention - 2 YELLOW medium retention

OT VERTICAL:

- 2 castable male
- 2 castable STEADY
- 4 clips - 2 WHITE- standard retention - 2 GREEN soft retention
- 2 castable parallelometer keys
- 2 ceramic bars

TOOLS:

- 1 Pincers
- 2 Reamer tools for caps (normal and micro size)
- 1 Reamer tools for OT STRATEGY caps
- 2 Parallelometer keys for OT CAP (normal and micro size)
- 1 Parallelometer key for OT STRATEGY size
- 2 Parallelometer keys for OT CAP TECNO (normal and micro size)
- 1 Parallelometer key for OT BAR MULTIUSE
- 1 Blue Plastic "multiuse" insertion tool (for steel tool and for inserting the caps in the mouth)
- 1 OT CAP insertion tool
- 1 OT STRATEGY insertion tool
- 1 OT BAR clips insertion tool
- 1 OT VERTICAL clips insertion tool

NEW

ATTACHMENTS OT CAP SYSTEM



Ref. 038STF
NORMAL SIZE

TITANIUM FLEX SINGLE SPHERE NORMAL SIZE + TiN FOR LASER SOLDERING - FOR GLUING

KIT CONTAINS:

- 2 SINGLE TITANIUM FLEX SPHERES
- 2 PINK CAPS - SOFT RETENTION
- 1 SPHERE HOLDER
- 2 CASTABLE SLIDING BASES



Ref. 038STN
NORMAL SIZE

TITANIUM SINGLE SPHERE NORMAL SIZE + TiN FOR LASER SOLDERING - FOR GLUING

KIT CONTAINS:

- 2 SINGLE TITANIUM SPHERES
- 2 PINK CAPS - SOFT RETENTION
- 1 SPHERE HOLDER
- 2 CASTABLE SLIDING BASES



Ref. 038STM
MICRO SIZE

TITANIUM SINGLE SPHERE MICRO SIZE + TiN FOR LASER SOLDERING - FOR GLUING

KIT CONTAINS:

- 2 SINGLE TITANIUM SPHERES
- 2 PINK CAPS - SOFT RETENTION
- 1 SPHERE HOLDER
- 2 CASTABLE SLIDING BASES



Ref. 092CAN

OT CAP NORMAL SIZE

KIT CONTAINS:

- 4 SINGLE SPHERES
- 4 PINK RETENTIVE CAPS
- 4 STAINLESS STEEL HOUSINGS (2 for resin - 2 for soldering)
- 4 PLASTIC POSITIONERS



Ref. 092CAM

OT CAP MICRO SIZE

KIT CONTAINS:

- 4 SINGLE SPHERES
- 4 PINK RETENTIVE CAPS
- 4 STAINLESS STEEL HOUSINGS (2 for resin - 2 for soldering)
- 4 PLASTIC POSITIONERS



Ref. 196BCN

“ECONOMIC” OT CAP NORMAL SIZE

KIT CONTAINS:

- 1 CASTABLE PRESECTIONED BAR
- 1 CASTABLE PRESECTIONED BEVELED BAR
- 4 WHITE RETENTIVE CAPS (Standard retention)



Ref 197BCM

“ECONOMIC” OT CAP MICRO SIZE

KIT CONTAINS:

- 1 CASTABLE PRESECTIONED BAR
- 1 CASTABLE PRESECTIONED BEVELED BAR
- 4 WHITE RETENTIVE CAPS (Standard retention)



Ref. 099BSN

OT CAP & Mono OT BOX FOR FRAME NORMAL SIZE

KIT CONTAINS:

- 2 CASTABLE PRESECTIONED BARS (1 straight + 1 beveled)
- 4 WHITE RETENTIVE CAPS
- 4 CASTABLE MONO OT BOX
- 4 PLASTIC POSITIONERS



Ref. 099BSM

OT CAP & Mono OT BOX FOR FRAME MICRO SIZE

KIT CONTAINS:

- 2 CASTABLE PRESECTIONED BARS (1 straight + 1 beveled)
- 4 WHITE RETENTIVE CAPS
- 4 CASTABLE MONO OT BOX
- 4 PLASTIC POSITIONERS



Ref. 090TCN

OT CAP TECNO - TITAN CAP NORMAL SIZE

KIT CONTAINS:

- 1 OT CAP TECNO PRESECTIONED BAR
- 2 CONCAVE TITANIUM SPHERES - TIN COATED
- 2 TITAN CAPS
- 1 INSERTING TOOL



Ref. 090TCM

OT CAP TECNO - TITAN CAP MICRO SIZE

KIT CONTAINS:

- 1 OT CAP TECNO PRESECTIONED BAR
- 2 CONCAVE TITANIUM SPHERES - TIN COATED
- 2 TITAN CAPS
- 1 INSERTING TOOL



Ref. 058BSN

OT BOX SPECIAL NORMAL SIZE + CONNECTORS

KIT CONTAINS:

- 2 OT BOX SPECIAL BARS
- 4 PLASTIC POSITIONERS
- 4 CONNECTORS



Ref. 058BSM

OT BOX SPECIAL MICRO SIZE + CONNECTORS

KIT CONTAINS:

- 2 OT BOX SPECIAL BARS
- 4 PLASTIC POSITIONERS
- 4 CONNECTORS



Ref. 153BCN

OT BOX CLASSIC NORMAL SIZE + CONNECTORS

KIT CONTAINS:

- 2 UPPER BARS
- 2 LOWER BARS
- 4 PLASTIC POSITIONERS
- 4 CONNECTORS



Ref. 153BCM

OT BOX CLASSIC MICRO SIZE + CONNECTORS

KIT CONTAINS:

- 2 UPPER BARS
- 2 LOWER BARS
- 4 PLASTIC POSITIONERS
- 4 CONNECTORS



Ø AVAILABLE
1,8 - 2,2 - 2,5

Ref. 087CRS

CONCAVE REPAIR SPHERE

KIT CONTAINS:

- 2 CONCAVE SPHERES IN TITANIUM - TiN COATED
- 2 PINK CAPS SOFT RETENTION
- 1 INSERTING TOOL
- 1 GAUGE AND STRIP HOLDER



Ref. 089SRS

SOLID REPAIR SPHERE

KIT CONTAINS:

- 2 SOLID SPHERES Ø 1,8 IN TITANIUM - TiN COATED
- 2 PINK CAPS SOFT RETENTION
- 2 PROTECTIVE DISKS
- 1 KEY

OT STRATEGY ATTACHMENTS



Ref. 098SSS

OT STRATEGY

CAPS FOR DUPLICATION TECHNIQUE

KIT CONTAINS:

- 4 CASTABLE STRATEGY MALES (2 STANDARD - 2 HIGH)
- 2 CASTABLE STEADY
- 4 RETENTIVE CAPS FOR DUPLICATION TECHNIQUE



Ref. 098CAL

OT STRATEGY

CAPS FOR STAINLESS STEEL HOUSINGS

KIT CONTAINS:

- 4 CASTABLE STRATEGY MALES (2 STANDARD - 2 HIGH)
- 2 CASTABLE STEADY
- 4 STAINLESS STEEL HOUSINGS
- 2 PLASTIC POSITIONERS
- 4 RETENTIVE CAPS FOR HOUSING

OT BAR MULTIUSE ATTACHMENTS



Ref. 021OBM

OT BAR MULTIUSE + CONNECTORS

KIT CONTAINS:

- 2 CASTABLE BARS
- 4 POSITIONER CLIP A
- 4 POSITIONER CLIP B
- 4 CASTABLE BOXES
- 4 RETENTIVE PINK CLIPS
- 4 RETENTIVE YELLOW CLIPS
- 2 CONNECTORS
- 1 GINGIVAL CONNECTOR

OT VERTICAL ATTACHMENTS



Ref. 071OBV


OT VERTICAL

KIT CONTAINS:

- 4 CASTABLE MALES
- 2 CASTABLE STEADY
- 4 RETENTIVE WHITE CLIPS
- 2 RETENTIVE GREEN CLIPS
- 4 CERAMIC BARS
- 4 CASTABLE PARALLELOMETER KEYS + PIN

OT REVERSE 3 ATTACHMENT

EXTRA-CORONAL ATTACHMENTS: castable bars and retentive females in titanium + TiN to be glued



Ref. 095PCR

OT REVERSE 3

KIT CONTAINS:

- 2 Castable bars
- 2 Retentive females in Titanium+TiN to be glued
- 2 Retentive males attachment Titanium + nylon
- 2 Positioning rings for OT REVERSE 3
- 2 Ot box mono

OVERDENTURE ATTACHMENTS



Ref. 011SPL

S.P.L. PIVOTS - COPING COVER PROMOTIONAL KIT FOR CLINIC

KIT CONTAINS:

- 24 CASTABLE ASSORTED PIVOTS MICRO SIZE
- 40 CASTABLE ASSORTED PIVOTS NORMAL SIZE
- 12 TITANIUM MICRO PIVOTS (adapted for receiving COPING COVER)
- 12 TITANIUM NORMAL PIVOTS (adapted for receiving COPING COVER)
- 16 NORMAL CAPS (WHITE - standard retention - PINK soft retention)
- 16 MICRO CAPS (WHITE - standard retention - PINK soft retention)
- 20 PROTECTIVE DISKS
- 2 REGULATING TOOLS (1 normal and 1 micro size)
- 1 BLUE PLASTIC "MULTIUSE" INSERTION TOOL (for steel tool and for inserting the caps in the mouth)
- 1 OT CAP insertion tool
- 4 NORMAL STAINLESS STEEL HOUSING FOR RESIN
- 4 MICRO STAINLESS STEEL HOUSING FOR RESIN
- 12 DIRECTIONAL RINGS (grey 0° - green 7° - red 14°)
- 1 PINCERS

PIVOT FLEX TIN COATED

TITANIUM PIVOT WITH SWIVEL SPHERE - Normal size Adapted for COPING COVER


KIT CONTAINS:

- 1 TITANIUM PIVOT WITH SWIVEL SPHERE (adapted for COPING COVER)
- 1 STAINLESS STEEL HOUSING FOR RESIN
- 2 PINK CAPS Normal Size - Soft retention
- 1 PROTECTIVE DISK
- 3 DIRECTIONAL RINGS



Ref. 033PSF

Available for lengths
Normal sphere ø 2,5
Micro sphere ø 1,8



Ref. 036PTN

TITANIUM PIVOTS KIT NORMAL SIZE

Adapted for COPING COVER

KIT CONTAINS:

- 5 TITANIUM PIVOTS (Adapted for COPING COVER)

TITANIUM PIVOTS KIT MICRO SIZE

Adapted for COPING COVER

KIT CONTAINS:

- 5 TITANIUM PIVOTS (Adapted for COPING COVER)

Ref. 036PTM

OT REVERSE 3 ATTACHMENTS

OVERDENTURE POSTS: for roots, available in one standard size

STANDARD LENGHT



Ref. 034PRK

KIT CONTAINS:

- 2 Root posts in Titanio + TiN
- 2 Retentive male attachment Titanium + nylon
- 2 Plastic manual tools
- 2 Stainless steel housings
- 2 Pink protective disks

COPING COVER FOR OVERCASTING

KIT CONTAINS:

- 1 ASSEMBLING RING FOR PIVOTS
- 2 SPRINGS

Ref. 037CCL

CASTABLE PIVOTS FOR CANAL IMPRESSIONS

KIT CONTAINS:

- 20 CASTABLE PIVOTS NORMAL SIZE

Ref. 010PSP

CASTABLE PIVOTS FOR CANAL IMPRESSIONS

KIT CONTAINS:

- 20 CASTABLE PIVOTS MICRO SIZE

Ref. 012PSM

MOOSER BUR

FOR PIVOTS OF 7 - 9 - 10 mm.

MOOSER BUR

FOR PIVOTS OF 12 - 14 mm.

Ref. A01MOG

Ref. A03MOB

Ref. 121FD

OT REVERSE 3 SHAPING BUR FOR ROOTS

IMPLANTOLOGY TITANIUM ATTACHMENTS FOR OVERDENTURE

SPHERO FLEX - BLOCK SYSTEM:



SPHERO FLEX WITH TiN COATED

Ref. 109

KIT CONTAINS:

- 1 TITANIUM ABUTMENT WITH SWIVEL SPHERE (SPHERE Ø 2.5 mm.)
- 2 PINK CAPS (Soft retention)
- 1 STAINLESS STEEL HOUSING FOR RESIN
- 1 PROTECTIVE DISK
- 3 DIRECTIONAL RINGS



SPHERO BLOCK NORMO WITH TiN COATED

Ref. 002

KIT CONTAINS:

- 1 TITANIUM ABUTMENT (SPHERE Ø mm. 2.5)
- 2 PINK CAPS (Soft retention)
- 1 STAINLESS STEEL HOUSING FOR RESIN
- 1 PROTECTIVE DISK
- 3 DIRECTIONAL RINGS



SPHERO BLOCK MICRO WITH TiN COATED

Ref. 003

KIT CONTAINS:

- 1 TITANIUM ABUTMENT (SPHERE Ø mm. 1.8)
- 2 PINK CAPS (Soft retention)
- 1 STAINLESS STEEL HOUSING FOR RESIN
- 1 PROTECTIVE DISK
- 3 DIRECTIONAL RINGS




OT REVERSE 3 WITH TiN COATED

Ref. 120

- 1 OT REVERSE 3 (titanium+TiN) implant abutment
- 1 Retentive male attachment Titanium + nylon
- 1 Plastic manual tool
- 1 Stainless steel housing
- 1 Pink protective disk

The SPHERO FLEX, SPHERO BLOCK and OT REVERSE attachments are available for the major implant brands. Upon request we can customize them for any kind of implants. When ordering, please always indicate: implant brand, implant diameter and cuff height. FOR SPHERO FLEX ABUTMENT CUFF AVAILABLE FROM 1 TO 7 MM.



AUXILIARY TOOLS: SPHERO FLEX - BLOCK; OT REVERSE 3



Ref. 771CEF

KEY FOR SPHERO FLEX AND SPHERO BLOCK (Normal - Micro size)
HEX mm. 2.3



Ref. 760CBM

HEX SCREWDRIVER FOR TORQUE CONTROLLER CONTRA ANGLE



Ref. 773CAR

OT REVERSE 3 ABUTMENT WRENCH

ANTI-UNSCREWING SYSTEM WITH AN ELASTIC DOWEL APPLICABLE TO

SPHERO FLEX-BLOCK - OT REVERSE AND DIFFERENT SCREWS. THE ELASTIC DOWEL IS APPLICABLE ONLY UPON REQUEST TO ALL SCREWS WITH A NOT INFERIOR M. 1.8 to screws - Sphero Flex - Sphero Block - OT Reverse attachments, etc.

Ref. TE

Extra charge for applying the dowel



ELASTIC DOWEL



AUXILIARY TOOLS SPHERO FLEX - BLOCK



Ref. 100AD

DIRECTIONAL RINGS FOR SPHERO FLEX AND BLOCK KIT CONTAINS:

- 3 COLOURED RINGS WITH INCLINATION OF 0° - 7° - 14°



Ref. 044ABN

SPHERO FLEX - BLOCK NORMO ANALOG KIT: KIT CONTAINS:

- 1 SPHERO BLOCK-FLEX NORMO ANALOG
- 3 DIRECTIONAL RINGS (0° - 7° - 14°)
- 1 BLACK NORMO CAP FOR LABORATORY USE



Ref. 044ABM

SPHERO BLOCK MICRO ANALOG KIT: KIT CONTAINS:

- 1 SPHERO BLOCK-MICRO ANALOG
- 3 DIRECTIONAL RINGS (0° - 7° - 14°)
- 1 BLACK MICRO CAP FOR LABORATORY USE

TITANIUM ATTACHMENTS FOR OVERDENTURE OT REVERSE SYSTEM - OT KLASS:

OT REVERSE SPARE PARTS AND OT KLASS ARE IN STOCK
FOR DETAILED INFORMATION PLEASE E-MAIL US OR CALL OUR OFFICES

CUFF HEIGHT MEASURER

This tool is useful to determine the exact cuff height of any implant brand with internal or external hexagon in order to purchase the proper attachment.


NEW




Ref. 008MBG

KIT CONTAINS:

- 1 CUFF HEIGHT SLIDER GAUGE
- 1 CUFF HEIGHT FIXED ROD GAUGE
- 1 SILICON RING DISPENSER
- 20 SILICON RINGS



OT BLOCK SYSTEM: COMBINED PROSTHESIS



Ref. 350BSN
KIT NORMO

Ref. 350BSM
KIT MICRO

KIT CONTAINS:

- 2 LOCKING PIN housings in titanium or for overcasting
- 2 Plastic LOCKING PINS
- 2 Lab POSITIONERS for wax up (brass)
- 2 CERAMIC pins

OT Block System

BROKEN SCREW EXTRACTOR KIT

TO REMOVE BROKEN SCREWS FROM IMPLANTS

THE BROKEN SCREW EXTRACTOR KIT IS IN STOCK FOR THE MOST COMMON IMPLANTS BRANDS. WHEN NOT IN STOCK, IT CAN ALSO BE CUSTOMIZED ON DEMAND FOR ALMOST EVERY IMPLANTS BRANDS EXISTING ON THE MARKET.



Ref. 780E
FOR CORE VENT AND
COMPATIBLE

Ref. 781E
FOR BRANEMARK AND
COMPATIBLE

KIT CONTAINS:

- 1 CLAW REAMER BUR
- 1 REVERSE CUTTING BUR
- 1 MANUAL EXTRACTOR
- 1 DEEPER CENTERING DEVICE
- 1 EXTENSION FOR BUR

Ref. 780

- 1 REVERSE CUTTING BUR

Ref. 780FL

- 1 CLAW REAMER BUR

SPARE PARTS: OT CAP SYSTEM

NORMAL Ø 2.5 mm:



Ref. 055SCN

• 4 CASTABLE SINGLE SPHERES NORMAL SIZE

Ref. 151BAN

• 2 CASTABLE PRESECTIONED BEVELED BARS
NORMAL SIZE

Ref. 150BPN

• 2 CASTABLE PRESECTIONED BARS NORMAL SIZE



Ref. 048CAN

• 6 SILVER CAPS NORMAL SIZE (EXTRA-RESILIENT)
ELASTIC AND GUMMY



Ref. 048CON

• 6 GOLD CAPS NORMAL SIZE (EXTRA-RESILIENT)
SLIGHTLY ELASTIC



Ref. 049PCN

• 6 GREEN CAPS NORMAL SIZE (VERY ELASTIC RETENTION)



Ref. 060CRN AY

• 6 YELLOW CAPS NORMAL SIZE (EXTRA SOFT RETENTION)



Ref. 040CRN SN

• 6 PINK CAPS NORMAL SIZE (SOFT RETENTION)



Ref. 040CRN

• 6 WHITE CAPS NORMAL SIZE (STANDARD RETENTION)



Ref. 040TCN

• 2 TITAN CAPS NORMAL SIZE



Ref. 043CLN

• 6 BLACK CAPS NORMAL SIZE
(ONLY FOR LABORATORY USE)



Ref. 040CRNDR8

• 6 LIGHT GREEN CAPS NORMAL SIZE (STRONG RETENTION)
(undersized internal diameter for worn out sphere or for Ø 2.2 SPHERE)



Ref. 049PCNDR8

• 6 ORANGE CAPS NORMAL SIZE (VERY ELASTIC RETENTION)
(undersized internal diameter for worn out sphere or for Ø 2.2 SPHERE)



Ref. 042AMN

• 2 MONO OT BOX NORMAL SIZE
(CASTABLE HOUSINGS FOR CAPS)



Ref. 041CAN B

• 2 STAINLESS STEEL HOUSINGS FOR RESIN NORMAL SIZE

Ref. 041CTN B

• 2 TITANIUM HOUSINGS FOR RESIN NORMAL SIZE



Ref. 041CAN A

• 2 STAINLESS STEEL HOUSINGS FOR SOLDERING NORMAL SIZE

Ref. 041CTN A

• 2 TITANIUM HOUSINGS FOR SOLDERING NORMAL SIZE



Ref. 101PPN

• 2 PLASTIC POSITIONER NORMAL SIZE



Ref. 044PPN

• 2 NORMAL TRANSFER PIVOTS



Ref. 100SAN

• 10 ALUMINIUM SPACERS FOR OT BOX BARS NORMAL SIZE

MICRO Ø 1.8 mm:



Ref. 055SCM	• 4 CASTABLE SPHERES MICRO SIZE
Ref. 151BAM	• 2 CASTABLE PRESECTIONED BEVELED BARS MICRO SIZE
Ref. 150BPM	• 2 CASTABLE PRESECTIONED BARS MICRO SIZ
Ref. 048CAM	• 6 SILVER CAPS MICRO SIZE (EXTRA-RESILIENT) ELASTIC AND GUMMY
Ref. 048COM	• 6 GOLD CAPS MICRO SIZE (EXTRA-RESILIENT) SLIGHTLY ELASTIC
Ref. 049PCM	• 6 GREEN CAPS MICRO SIZE (VERY ELASTIC RETENTION)
Ref. 060CRM AY	• 6 YELLOW CAPS MICRO SIZE (EXTRA SOFT RETENTION)
Ref. 040CRM SN	• 6 PINK CAPS MICRO SIZE (SOFT RETENTION)
Ref. 040CRM	• 6 WHITE CAPS MICRO SIZE (STANDARD RETENTION)
Ref. 040TCM	• 2 TITAN CAPS MICRO SIZE
Ref. 043CLM	• 6 BLACK CAPS MICRO SIZE (ONLY FOR LABORATORY USE)
Ref. 040CRMDR8	• 6 LIGHT GREEN CAPS MICRO SIZE (STRONG RETENTION) (UNDERSIZED INTERNAL DIAMETER FOR WORN OUT SPHERE)
Ref. 049PCMDR8	• 6 ORANGE CAPS MICRO SIZE (VERY ELASTIC RETENTION) (UNDERSIZED INTERNAL DIAMETER FOR WORN OUT SPHERE)
Ref. 042AMM	• 2 MONO OT BOX MICRO SIZE (CASTABLE HOUSINGS FOR CAPS)
Ref. 041CAM B	• 2 STAINLESS STEEL HOUSINGS FOR RESIN MICRO SIZE
Ref. 041CTM B	• 2 TITANIUM HOUSINGS FOR RESIN MICRO SIZE
Ref. 041CAM A	• 2 STAINLESS STEEL HOUSINGS FOR SOLDERING MICRO SIZE
Ref. 041CTM A	• 2 TITANIUM HOUSINGS FOR SOLDERING MICRO SIZE
Ref. 101PPM	• 2 PLASTIC POSITIONER MICRO SIZE
Ref. 044PPM	• 2 MICRO TRANSFER PIVOTS
Ref. 100SAM	• 10 ALUMINIUM SPACERS FOR OT BOX BARS MICRO SIZE





NORMO-MICRO TOOLS:






Ref. 085IAC	• INSERTION TOOL FOR CAPS - NORMAL AND MICRO SIZES (for metal housing and for inserting the caps in the mouth)
Ref. 74AC01	• KEY FOR PARALLELOMETER NORMAL SIZE
Ref. 74AC02	• KEY FOR PARALLELOMETER MICRO SIZE
Ref. 74GTN	• TECNO KEY FOR PARALLELOMETER NORMAL SIZE only for OT CAP TECNO (Gold Color)
Ref. 74GTM	• TECNO KEY FOR PARALLELOMETER MICRO SIZE only for OT CAP TECNO (Gold Color)
Ref. 091EC	• REMOVAL TOOL FOR RETENTIVE CAPS
Ref. 124ICP	• BLUE PLASTIC "MULTIUSE" INSERTION TOOL (for steel tool and for inserting the caps in the mouth)

NEW


NORMAL-MICRO TOOLS continued:

	Ref. 080RCN	• REAMER TOOL FOR OT CAPS - NORMAL SIZE
	Ref. 080RCM	• REAMER TOOL FOR OT CAPS - MICRO SIZE
	Ref. 082ATN	• TOOL FOR TESTING CAP RETENTION NORMAL SIZE
	Ref. 083ATM	• TOOL FOR TESTING CAP RETENTION MICRO SIZE


NORMAL - MICRO ACCESSORIES AND 2.2mm:

	Ref. 155CC	• 6 CONNECTORS
	Ref. 187CRS	• 2 CONCAVE SPHERES AVAILABLE: 1.8 - 2.2 - 2.5mm
	Ref. 189SRS	• 2 SOLID SPHERES AVAILABLE: mm. 1,8
	Ref. 100PD	• 10 PROTECTIVE DISKS
	Ref. 038GCS	• 2 CASTABLE SLIDING BASES
	Ref. 044PP22	• 2 MICRO TRANSFER PIVOTS 2.2 mm

OT CAP ASSORTMENT KIT & CAP BOOKLET

	KIT NORMAL	KIT CONTAINS: • 8 WHITE CAPS - STANDARD RETENTION • 8 PINK CAPS - SOFT RETENTION • 6 YELLOW CAPS - EXTRA SOFT RETENTION • 6 GREEN CAPS - VERY ELASTIC RETENTION • 6 GOLD CAPS - (EXTRA RESILIENT) SLIGHTLY ELASTIC • 6 SILVER CAPS - (EXTRA RESILIENT) ELASTIC AND GUMMY • 4 LIGHT GREEN CAPS - STANDARD (FOR WORN OUT SPHERE) • 4 ORANGE CAPS - ELASTIC (FOR WORN OUT SPHERE) • 4 BLACK CAPS - LABORATORY USE ONLY • 2 TITAN CAPS
	Ref. 074KAN	
	KIT MICRO	
	Ref. 074KAM	

ASSORTMENT KIT NORMAL & MICRO

	Ref. 074KNM	KIT CONTAINS: • 4+4 WHITE CAPS - STANDARD RETENTION • 4+4 PINK CAPS - SOFT RETENTION • 2+2 YELLOW CAPS - EXTRA SOFT RETENTION • 3+3 GREEN CAPS - VERY ELASTIC RETENTION • 3+3 GOLD CAPS - (EXTRA RESILIENT) SLIGHTLY ELASTIC • 3+3 SILVER CAPS - (EXTRA RESILIENT) ELASTIC AND GUMMY • 2+2 LIGHT GREEN CAPS - STANDARD (FOR WORN OUT SPHERE) • 2+2 ORANGE CAPS - ELASTIC (FOR WORN OUT SPHERE) • 2+2 BLACK CAPS - LABORATORY USE ONLY • 1+1 TITAN CAPS
--	--------------------	---

OT CAP ASSORTED RETENTIVE CAPS

NORMAL KIT

- 6 GREEN CAPS - VERY ELASTIC RETENTION
- 6 YELLOW CAPS - EXTRA SOFT RETENTION
- 6 PINK CAPS - SOFT RETENTION
- 6 WHITE CAPS - STANDARD RETENTION

OT CAP ASSORTED RETENTIVE CAPS

MICRO KIT

- 6 GREEN CAPS - VERY ELASTIC RETENTION
- 6 YELLOW CAPS - EXTRA SOFT RETENTION
- 6 PINK CAPS - SOFT RETENTION
- 6 WHITE CAPS - STANDARD RETENTION

	Ref. 064ACN NORMAL SIZE
	Ref. 064ACM MICRO SIZE

SPARE PARTS: OT STRATEGY



Ref. 154PCS

- 4 OT STRATEGY STANDARD MALES



Ref. 054PLS

- 4 OT STRATEGY HIGH MALES



Ref. 154STY

- 2 CASTABLE STEADY



Ref. 047CSD AY

- 4 STRATEGY YELLOW CAPS FOR DUPLICATION TECHNIQUE
(EXTRA SOFT RETENTION)



Ref. 047CSD SN

- 4 STRATEGY PINK CAPS FOR DUPLICATION TECHNIQUE
(SOFT RETENTION)



Ref. 047CSD

- 4 STRATEGY WHITE CAPS FOR DUPLICATION TECHNIQUE
(STANDARD RETENTION)



Ref. 047CLS

- 4 STRATEGY BLACK CAPS FOR DUPLICATION TECHNIQUE
(FOR LABORATORY USE ONLY)



Ref. 047CSDDR8

- 4 AQUA STRATEGY CAPS FOR DUPLICATION TECHNIQUE
(undersized internal diameter for worn sphere or 1.7mm sphere)



Ref. 045CSM AY

- 4 STRATEGY YELLOW CAPS FOR S/STEEL HOUSING
(EXTRA SOFT RETENTION)
(TO BE USED ONLY WITH HOUSINGS)



Ref. 045CSM SN

- 4 STRATEGY PINK CAPS FOR S/STEEL HOUSING
(SOFT RETENTION)
(TO BE USED ONLY WITH HOUSINGS)



Ref. 045CSM

- 4 STRATEGY WHITE CAPS FOR S/STEEL HOUSING
(STANDARD RETENTION)
(TO BE USED ONLY WITH HOUSINGS)



Ref. 045CLS

- 4 STRATEGY BLACK CAPS FOR S/STEEL HOUSING
(FOR LABORATORY USE ONLY)



Ref. 045CSMDR8

- 4 AQUA STRATEGY CAPS FOR S/STEEL HOUSING
(undersized internal diameter for worn sphere or 1.7mm sphere)



Ref. 046CSM

- 2 STRATEGY STAINLESS STEEL HOUSINGS



Ref. 101OTS

- 2 STRATEGY PLASTIC POSITIONER
(For soldering stainless steel housings)



Ref. 047ACS

OT STRATEGY ASSORTMENT CAP KIT FOR DUPLICATION TECHNIQUE

KIT CONTAINS:

- 4 YELLOW CAPS - EXTRA SOFT RETENTION
- 4 PINK CAPS - SOFT RETENTION
- 4 WHITE CAPS - STANDARD RETENTION



Ref. 045ACS

OT STRATEGY ASSORTMENT CAP KIT FOR S/STEEL HOUSINGS

KIT CONTAINS:

- 4 YELLOW CAPS - EXTRA SOFT RETENTION
- 4 PINK CAPS - SOFT RETENTION
- 4 WHITE CAPS - STANDARD RETENTION



Ref. 044PPS

- 2 STRATEGY TRANSFER PIVOTS



Ref. 086ICS

- INSERTION TOOL FOR STRATEGY CAPS



Ref. 75AC04

- PARALLELOMETER KEY FOR STRATEGY CAPS



Ref. 081RCS

- REAMER TOOL FOR STRATEGY CAPS

SPARE PARTS: OT BAR MULTIUSE



Ref. 022OBB	• 2 CASTABLE BARS OT BAR MULTIUSE
Ref. 025CPB	• 4 CASTABLE BOXES OT BAR MULTIUSE
Ref. 023CPA	• 4 POSITIONER CLIPS A
Ref. 024CPB	• 4 POSITIONER CLIPS B
Ref. 026CRR	• 4 PINK CLIPS (SOFT RETENTION)
Ref. 027CRG	• 4 YELLOW CLIPS (MEDIUM RETENTION)
Ref. 029OIC	• TOOL FOR INSERTING OT BAR MULTIUSE CLIPS
Ref. 028OCP	• PARALLELOMETER KEY FOR OT BAR MULTIUSE

SPARE PARTS: OT VERTICAL



Ref. 072MCV	• 2 CASTABLE MALES • 2 PIN KEYS
Ref. 072SCV	• 2 CASTABLE STEADY
Ref. 072BCV	• 2 CERAMIC BARS
Ref. 072CBV	• 4 WHITE CLIPS (STANDARD RETENTION)
Ref. 072CVV	• 4 GREEN CLIPS (SOFT RETENTION)
Ref. 072ICV	• 1 INSERTION TOOL FOR OT VERTICAL CLIPS

SPARE PARTS: OT REVERSE 3 MULTISERVER



Ref. 120MR2	• 2 RETENTIVE MALES in TITANIUM + NYLON (Color WHITE/ STANDARD RETENTION)
Ref. 041CAM A	• 2 S/STEEL HOUSINGS FOR SOLDERING MICRO SIZE
Ref. 121AOR	• 2 BRASS ANALOGS FOR ROOTS
Ref. 121AAR	• 2 INOX IMPLANT ANALOGS
Ref. 121MT	• 2 PLASTIC TRANSFER ANALOGS FOR IMPRESSION
Ref. 121AM	• 2 PLASTIC MANUAL TOOLS
Ref. 100PDR	• 10 PINK PROTECTIVE DISKS
Ref. 121PR	• 2 PLASTIC POSITIONERS FOR DUPLICATION
Ref. 124ICP	• PLASTIC BLUE INSERTING/HOLDER TOOL for caps Hole for metal inserting tools



Ref. 124IMR

• METAL INSERTING TOOL FOR OT REVERSE/3 MALE

Ref. 72CBR

• S/STEEL PARALLELOMETER KEY FOR CASTABLE BAR

Ref. 72CFR

• BRASS PARALLELOMETER KEY FOR TITANIUM FEMALE

SPARE PARTS: OT BLOCK SYSTEM



Ref. 350PPN

• WAX UP POSITIONER NORMO SIZE

Ref. 350PPM

• WAX UP POSITIONER MICRO SIZE


Ref. 350PON

• 2 PLASTIC LOCKING PINS NORMO SIZE

Ref. 350POM

• 2 PLASTIC LOCKING PINS MICRO SIZE

SPARE PARTS: OT LOCK



Ref. 882CS

• 1 SLIDING KEY
(only for titanium - castable locking pin)

Ref. 882AF

• 1 FLEXIBLE RING

Ref. 882CB

• 1 LOCKING KEY

Ref. 882CPT

• 1 TITANIUM PREFABRICATED HOUSING
(only for titanium - titanium adjustable locking pin)

Ref. 882PPC

• 1 CERAMIC PIN

Ref. 882FRC

• 1 CERAMIC SPACER AND CASTABLE RING
(only for castable locking pin)


Ref. 882CLSCT

• 1 ADJUSTABLE SLIDING KEY
(only for titanium adjustable locking pin)

Ref. 882DCC

• 9 CASTABLE SPACER RINGS
(only for titanium adjustable locking pin)

COMPLEMENTARY ITEMS



Ref. 00P

• SMALL PARALLELOMETER DEVICE
(FOR COURSES, ETC.)




Ref. 00BP

• MODEL HOLDER BASE (OPTIONAL)

Ref. 100AS

• 30 SILICON RINGS



Ref. NC

• Rhein'83 2 PART METAL BONDING COMPOSITE
MATERIAL

ADJUSTABLE DENTURE BOXES

IT IS POSSIBLE TO SET UP SIX DIFFERENT INTERIOR SIZES



Ref. 0P6

KIT CONTAINS:

• 6 ASSORTED BOXES
COLOURS: BLUE - LIGHT BLUE - WHITE



ON DEMAND, DISCOUNTS ARE AVAILABLE ON LARGE QUANTITY ORDERS, AS
WELL AS DISTINCTIVE PERSONALIZED LOGOS

RHEIN'83 DIRECT SERVICES

Rhein'83 Direct Services

*A telephone service is available during office hours,
it furnishes direct answers for technical problems.
You can address to Rhein'83 for knowing the address of foreign distributors.*

Tel. +39 051 244510 - 244396

Fax +39 051 245238

Rhein'83 INTERNET: www.rhein83.com

E-mail: info@rhein83.com

Sales Dep.: angela.internationaltrade@rhein83.it

Technical support: gianni.storni@rhein83.it

RHEIN'83[®] Srl

Via E. Zago, 8 • 40128 (Bologna) Italy

Tel. (+39) 051 244510 • (+39) 051 244396

Fax (+39) 051 245238 • Numero Verde 800-901172

<http://www.rhein83.com> • e-mail: info@rhein83.com

• Per ordini: vendite.italia@rhein83.it



DISTRIBUTOR

CE 0476